

SoCal Inventory Report

PREMISE

| PART NUMBER | DESCRIPTION | U/M | QOH |
|------------------------|-----------------------|--|----------------|
| MM 50/125 (OM4) | | | |
| PC07904-01 | CP012C551C01-BIF | 12F Single-Unit 50/125 Laser-Link OM4 Plenum Aqua | FT 4779 |
| Total | | | = 4779 |
| PC09168-01A | CP012C551C01-BIF-AIAP | 12F 50/125 Laser-Link OM4 5.5mm Plenum Armored Aqua | FT 178 |
| PC09168-01A | CP012C551C01-BIF-AIAP | 12F 50/125 Laser-Link OM4 5.5mm Plenum Armored Aqua | FT 1116 |
| PC09168-01A | CP012C551C01-BIF-AIAP | 12F 50/125 Laser-Link OM4 5.5mm Plenum Armored Aqua | FT 2196 |
| PC09168-01A | CP012C551C01-BIF-AIAP | 12F 50/125 Laser-Link OM4 5.5mm Plenum Armored Aqua | FT 472 |
| Total | | | = 3962 |
| PK04552-01 | KQ012C611801-BIF | 12F IN/OUT Single-Unit OM4 6.1mm Plenum Black | FT 3215 |
| Total | | | = 3215 |
| PC09432-01 | CP024C841C01-BIF | 24F Single-Unit Laser-Link 300 OM4 Plenum Aqua | FT 239 |
| PC09432-01 | CP024C841C01-BIF | 24F Single-Unit Laser-Link 300 OM4 Plenum Aqua | FT 594 |
| PC09432-01 | CP024C841C01-BIF | 24F Single-Unit Laser-Link 300 OM4 Plenum Aqua | FT 4132 |
| Total | | | = 4965 |
| PK03240-01 | KQ024C841801-BIF | 24F IN/OUT Single-Unit OM4 550m Plenum Black | FT 1286 |
| PK03240-01 | KQ024C841801-BIF | 24F IN/OUT Single-Unit OM4 550m Plenum Black | FT 371 |
| PK03240-01 | KQ024C841801-BIF | 24F IN/OUT Single-Unit OM4 550m Plenum Black | FT 5364 |
| PK03240-01 | KQ024C841801-BIF | 24F IN/OUT Single-Unit OM4 550m Plenum Black | FT 2374 |
| Total | | | = 9395 |
| PC09432-01A | CP024C841C01-BIF-AIAP | 24F Single-Unit Laser-Link 300 OM4 Plenum Armored Aqua | FT 791 |
| PC09432-01A | CP024C841C01-BIF-AIAP | 24F Single-Unit Laser-Link 300 OM4 Plenum Armored Aqua | FT 1439 |
| Total | | | = 2230 |
| MM 50/125 (OM3) | | | |
| PC07568-01 | CP006L441C01-BIF | 6F Single-Unit Laser-Link 300 OM3 Plenum Aqua | FT 13648 |
| PC07568-01 | CP006L441C01-BIF | 6F Single-Unit Laser-Link 300 OM3 Plenum Aqua | FT 8173 |
| Total | | | = 21821 |
| PC07568-01A | CP006L441C01-AIAP | 6F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT 244 |
| PC07568-01A | CP006L441C01-AIAP | 6F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT 144 |
| PC07568-01A | CP006L441C01-AIAP | 6F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT 249 |
| PC07568-01A | CP006L441C01-AIAP | 6F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT 599 |
| PC07568-01A | CP006L441C01-AIAP | 6F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT 228 |
| Total | | | = 1464 |
| PK04544-01 | KQ006L541801-BIF | 6F IN/OUT Single-Unit Laser-Link 300 OM3 Plenum Black | FT 200 |
| Total | | | = 200 |
| PC07888-01 | CP012L551C01-BIF | 12F Single-Unit Laser-Link 300 OM3 Plenum Aqua | FT 2371 |
| Total | | | = 2371 |
| PC07888-01A | CP012L551C01-AIAP | 12F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT 212 |
| PC07888-01A | CP012L551C01-AIAP | 12F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT 115 |
| PC07888-01A | CP012L551C01-AIAP | 12F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT 383 |
| PC07888-01A | CP012L551C01-AIAP | 12F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT 954 |

| | | | | |
|--------------------------|-------------------|---|--------------|-----------------|
| PC07888-01IA | CP012L551C01-AIAP | 12F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT | 142 |
| PC07888-01IA | CP012L551C01-AIAP | 12F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT | 725 |
| PC07888-01IA | CP012L551C01-AIAP | 12F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT | 330 |
| PC07888-01IA | CP012L551C01-AIAP | 12F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT | 3534 |
| PC07888-01IA | CP012L551C01-AIAP | 12F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT | 6739 |
| | | | Total | = 13134 |
| PK04568-01 | KQ012L611801-BIF | 12F IN/OUT Single-Unit Laser-Link 300 OM3 Plenum Black | FT | 505 |
| PK04568-01 | KQ012L611801-BIF | 12F IN/OUT Single-Unit Laser-Link 300 OM3 Plenum Black | FT | 430 |
| PK04568-01 | KQ012L611801-BIF | 12F IN/OUT Single-Unit Laser-Link 300 OM3 Plenum Black | FT | 8087 |
| PK04568-01 | KQ012L611801-BIF | 12F IN/OUT Single-Unit Laser-Link 300 OM3 Plenum Black | FT | 10226 |
| PK04568-01 | KQ012L611801-BIF | 12F IN/OUT Single-Unit Laser-Link 300 OM3 Plenum Black | FT | 4265 |
| | | | Total | = 23513 |
| PK01792-01 | KR012L651801-BIF | 12F IN/OUT Single-Unit Laser-Link 300 OM3 Riser Black | FT | 3133 |
| | | | Total | = 3133 |
| PC09416-01 | CP024L841C01 | 24F Single-Unit Laser-Link 300 OM3 Plenum Aqua | FT | 1058 |
| PC09416-01 | CP024L841C01 | 24F Single-Unit Laser-Link 300 OM3 Plenum Aqua | FT | 75 |
| PC09416-01 | CP024L841C01 | 24F Single-Unit Laser-Link 300 OM3 Plenum Aqua | FT | 272 |
| PC09416-01 | CP024L841C01 | 24F Single-Unit Laser-Link 300 OM3 Plenum Aqua | FT | 341 |
| PC09416-01 | CP024L841C01 | 24F Single-Unit Laser-Link 300 OM3 Plenum Aqua | FT | 296 |
| | | | Total | = 2042 |
| PC05368-01IA | CP024L841C01-AIAP | 24F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT | 156 |
| PC05368-01IA | CP024L841C01-AIAP | 24F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT | 340 |
| PC09416-01IA | CP024L841C01-AIAP | 24F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT | 309 |
| PC09416-01IA | CP024L841C01-AIAP | 24F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT | 845 |
| PC09416-01IA | CP024L841C01-AIAP | 24F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT | 495 |
| PC09416-01IA | CP024L841C01-AIAP | 24F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT | 938 |
| PC09416-01IA | CP024L841C01-AIAP | 24F Single-Unit Laser-Link 300 OM3 Plenum Armored Aqua | FT | 3074 |
| | | | Total | = 6001 |
| PC09592-01 | CR024L841C01 | 24F Single-Unit Laser-Link 300 OM3 Riser Aqua | FT | 175 |
| | | | Total | = 175 |
| MM 62.5/125 (OM1) | | | | |
| PC07384-01 | CP0066441201 | 6F Single-Unit 62.5/125 GIGA-Link 300 Plenum Orange | FT | 1,303 |
| PC07384-01 | CP0066441201 | 6F Single-Unit 62.5/125 GIGA-Link 300 Plenum Orange | FT | 1,343 |
| | | | Total | = 2,646 |
| PC07384-01IA | CP0066441201-AIAP | 6F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 271 |
| PC07384-01IA | CP0066441201-AIAP | 6F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 239 |
| PC07384-01IA | CP0066441201-AIAP | 6F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 620 |
| PC07384-01IA | CP0066441201-AIAP | 6F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 534 |
| PC07384-01IA | CP0066441201-AIAP | 6F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 2,693 |
| PC07384-01IA | CP0066441201-AIAP | 6F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 1,250 |
| PC07384-01IA | CP0066441201-AIAP | 6F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 690 |
| PC07384-01IA | CP0066441201-AIAP | 6F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 3,514 |
| PC07384-01IA | CP0066441201-AIAP | 6F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 6,634 |
| | | | Total | = 16,445 |
| PK00584-01 | KR0066531801 | 6F IN/OUT Single-Unit 62.5/125 GIGA-Link 300 Riser Black | FT | 95 |
| PK00584-01 | KR0066531801 | 6F IN/OUT Single-Unit 62.5/125 GIGA-Link 300 Riser Black | FT | 2,915 |

| | | | | |
|-------------------------|-------------------|--|--------------|-----------------|
| PK00584-01 | KR0066531801 | 6F IN/OUT Single-Unit 62.5/125 GIGA-Link 300 Riser Black | FT | 13,852 |
| | | | Total | = 16,862 |
| PC00592-01 | CP0126551001 | 12F Single-Unit 62.5/125 GIGA-Link 300 Plenum Orange | FT | 72 |
| PC07632-01 | CP0126551201 | 12F Single-Unit 62.5/125 GIGA-Link 300 Plenum Orange | FT | 445 |
| PC07632-01 | CP0126551201 | 12F Single-Unit 62.5/125 GIGA-Link 300 Plenum Orange | FT | 13,413 |
| PC07632-01 | CP0126551201 | 12F Single-Unit 62.5/125 GIGA-Link 300 Plenum Orange | FT | 3,804 |
| | | | Total | = 17,734 |
| PC07632-01IA | CP0126551201-AIAP | 12F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 406 |
| PC07632-01IA | CP0126551201-AIAP | 12F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 610 |
| PC07632-01IA | CP0126551201-AIAP | 12F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 466 |
| PC07632-01IA | CP0126551201-AIAP | 12F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 375 |
| PC07632-01IA | CP0126551201-AIAP | 12F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 500 |
| PC07632-01IA | CP0126551201-AIAP | 12F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 710 |
| PC07632-01IA | CP0126551201-AIAP | 12F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 500 |
| PC07632-01IA | CP0126551201-AIAP | 12F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 622 |
| PC07632-01IA | CP0126551201-AIAP | 12F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 4,755 |
| | | | Total | = 8,944 |
| PK00560-01 | KR0126651801 | 12F IN/OUT Single-Unit 62.5/125 GIGA-Link 300 Riser Black | FT | 91 |
| PK00560-01 | KR0126651801 | 12F IN/OUT Single-Unit 62.5/125 GIGA-Link 300 Riser Black | FT | 6,122 |
| | | | Total | = 6,213 |
| PC01048-01 | CP0246841201 | 24F Single-Unit 62.5/125 GIGA-Link 300 Plenum Orange | FT | 160 |
| PC01048-01 | CP0246841201 | 24F Single-Unit 62.5/125 GIGA-Link 300 Plenum Orange | FT | 183 |
| PC01048-01 | CP0246841201 | 24F Single-Unit 62.5/125 GIGA-Link 300 Plenum Orange | FT | 350 |
| PC01048-01 | CP0246841201 | 24F Single-Unit 62.5/125 GIGA-Link 300 Plenum Orange | FT | 101 |
| PC09240-01 | CP0246841201 | 24F Single-Unit 62.5/125 GIGA-Link 300 Plenum Orange | FT | 644 |
| PC09240-01 | CP0246841201 | 24F Single-Unit 62.5/125 GIGA-Link 300 Plenum Orange | FT | 430 |
| PC09240-01 | CP0246841201 | 24F Single-Unit 62.5/125 GIGA-Link 300 Plenum Orange | FT | 2,818 |
| | | | Total | = 4,686 |
| PC09240-01IA | CP0246841201-AIAP | 24F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 1,147 |
| PC09240-01IA | CP0246841201-AIAP | 24F Single-Unit 62.5/125 GIGA-Link 300 Plenum Armored Orange | FT | 869 |
| | | | Total | = 2,016 |
| PC01064-01 | CR0246891201 | 24F Single-Unit 62.5/125 GIGA-Link 300 Riser Orange | FT | 137 |
| | | | Total | = 137 |
| SINGLEMODE (OS2) | | | | |
| PC07400-01 | CP0069441901 | 6F Single-Unit SM Plenum Yellow | FT | 15,331 |
| | | | Total | = 15,331 |
| PK04584-01 | KQ0069541801 | 6F IN/OUT Single-Unit SM 5.4mm Plenum Black | FT | 0 |
| | | | Total | = 0 |
| PC07648-01 | CP0129551901 | 12F Single-Unit SM Plenum Yellow | FT | 4,721 |
| | | | Total | = 4,721 |
| PC07648-01IA | CP0129551901-AIAP | 12F Single-Unit SM Plenum Armored Yellow | FT | 144 |
| PC07648-01IA | CP0129551901-AIAP | 12F Single-Unit SM Plenum Armored Yellow | FT | 1354 |
| PC07648-01IA | CP0129551901-AIAP | 12F Single-Unit SM Plenum Armored Yellow | FT | 6952 |
| PC07648-01IA | CP0129551901-AIAP | 12F Single-Unit SM Plenum Armored Yellow | FT | 6772 |
| | | | Total | = 15,222 |
| PK02632-01 | KQ0129701801 | 12F IN/OUT Single-Unit SM 7.0mm Plenum Black | FT | 131 |

| | | | | |
|--------------|-------------------|--|--------------|-----------------|
| PK02632-01 | KQ0129701801 | 12F IN/OUT Single-Unit SM 7.0mm Plenum Black | FT | 134 |
| PK02632-01 | KQ0129701801 | 12F IN/OUT Single-Unit SM 7.0mm Plenum Black | FT | 310 |
| PK02632-01 | KQ0129701801 | 12F IN/OUT Single-Unit SM 7.0mm Plenum Black | FT | 203 |
| PK02632-01 | KQ0129701801 | 12F IN/OUT Single-Unit SM 7.0mm Plenum Black | FT | 275 |
| PK04320-01 | KQ0129611801 | 12F IN/OUT Single-Unit SM 6.1mm Plenum Black | FT | 370 |
| PK04320-01 | KQ0129611801 | 12F IN/OUT Single-Unit SM 6.1mm Plenum Black | FT | 2,960 |
| PK04320-01 | KQ0129611801 | 12F IN/OUT Single-Unit SM 6.1mm Plenum Black | FT | 8,128 |
| PK04320-01 | KQ0129611801 | 12F IN/OUT Single-Unit SM 6.1mm Plenum Black | FT | 14,337 |
| | | | Total | = 26,848 |
| PK01280-01IA | KR0129651801-AIAR | 12F IN/OUT Single-Unit SM Riser Armored Black | FT | 125 |
| | | | Total | = 125 |
| PC09232-01 | CP0249841901 | 24F Single-Unit SM 8.4mm Plenum Yellow | FT | 19 |
| PC09232-01 | CP0249841901 | 24F Single-Unit SM 8.4mm Plenum Yellow | FT | 2,065 |
| PC09232-01 | CP0249841901 | 24F Single-Unit SM 8.4mm Plenum Yellow | FT | 6,739 |
| | | | | = 8,823 |
| PC09232-01IA | CP0249841901-AIAP | 24F Single-Unit SM 8.4mm Plenum Armored Yellow | FT | 689 |
| PC09232-01IA | CP0249841901-AIAP | 24F Single-Unit SM 8.4mm Plenum Armored Yellow | FT | 1,163 |
| PC09232-01IA | CP0249841901-AIAP | 24F Single-Unit SM 8.4mm Plenum Armored Yellow | FT | 339 |
| | | | | = 2,191 |
| PK04576-01 | KQ0249791801 | 24F IN/OUT Single-Unit SM 7.9mm Plenum Black | FT | 5,841 |
| PK04576-01 | KQ0249791801 | 24F IN/OUT Single-Unit SM 7.9mm Plenum Black | FT | 6,657 |
| PK04576-01 | KQ0249791801 | 24F IN/OUT Single-Unit SM 7.9mm Plenum Black | FT | 6,847 |
| | | | Total | = 19,345 |
| PC09912-10 | CR0484502991 | 48F Multi-Unit SM Corning SMF-28 Ultra 5.0 Riser Yellow | FT | 118 |
| PC09912-10 | CR0484502991 | 48F Multi-Unit SM Corning SMF-28 Ultra 5.0 Riser Yellow | FT | 302 |
| PC09912-10 | CR0484502991 | 48F Multi-Unit SM Corning SMF-28 Ultra 5.0 Riser Yellow | FT | 425 |
| PC09912-10 | CR0484502991 | 48F Multi-Unit SM Corning SMF-28 Ultra 5.0 Riser Yellow | FT | 1,747 |
| | | | Total | = 2,592 |
| PC10128-10 | CR1444502991 | 144F SM Corning SMF-28 Ultra CPC Riser RoHS 5.0mm Yellow | FT | 1,958 |
| PC10128-10 | CR1444502991 | 144F SM Corning SMF-28 Ultra CPC Riser RoHS 5.0mm Yellow | FT | 1,774 |
| PC10128-10 | CR1444502991 | 144F SM Corning SMF-28 Ultra CPC Riser RoHS 5.0mm Yellow | FT | 1,243 |
| PC10128-10 | CR1444502991 | 144F SM Corning SMF-28 Ultra CPC Riser RoHS 5.0mm Yellow | FT | 755 |
| | | | Total | = 5,730 |